STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	15G138	A. BUILDING _____ B. WING _____	R 05/24/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
COMMUNITY ALTERNATIVES SW IN	4555 ELM ST NEWBURGH, IN 47630

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
{W 000}	INITIAL COMMENTS This visit was for the (PCR) Post-Certification Revisit to the Fundamental Recertification and State Licensure survey completed on 2/27/12. Survey dates: 5/18 and 5/24/12 Facility Number: 000675 AIMS Number: 100234400 Provider Number: 15G138 Surveyor: Jenny Ridao, Medical Surveyor III Community Alternatives Southwest Indiana, Inc. was found to be in compliance with 42 CFR Part 483 Subpart I and 460 IAC 9 regarding the PCR to the Fundamental Recertification and State Licensure survey. Quality review completed on June 1, 2012 by Dotty Walton, Medical Surveyor III.	{W 000}		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.